


10/526960  
 DT01 Rec'd PCT/PTC 03 MAR 2008

### Amendments to the Claims

1. A compound of formula (I)



wherein

each of  $X_1$ ,  $X_2$ ,  $X_3$ ,  $X_4$ ,  $X_5$ ,  $X_6$ ,  $X_7$ ,  $X_8$ ,  $X_9$  and  $X_{10}$  is C, CH, or N; provided that each of rings A or B has no more than 2 nitrogen atoms;

E is O or NH;

v is 1, 2, or 3;

$R^1$  and  $R^2$  are independently selected from hydrogen,  $C_1$ - $C_8$  alkyl,  $C_2$ - $C_8$  alkenyl,  $C_2$ - $C_8$  alkynyl, aryl,  $C_3$ - $C_8$  cycloalkyl,  $-C_1$ - $C_{10}$  alkylaryl, heterocyclyl,  $-C_1$ - $C_{10}$  alkylheterocyclic, -arylheterocyclyl,  $-C_3$ - $C_8$  cycloalkylheterocyclyl,  $-C_1$ - $C_8$  alkylC(O) $C_1$ - $C_8$  alkyl, aryl C(O) $C_1$ - $C_8$  alkyl-,  $C_3$ - $C_8$  cycloalkylC(O)( $CH_2$ ) $_n$ -,  ~~$-C_2$ - $C_8$  alkylCH(OH)aryl,  $-C_2$ - $C_8$  alkylCH(OH)cycloalkyl,  $-C_2$ - $C_8$  alkylCH(OH)heterocyclyl,  $-C_2$ - $C_8$  alkylCH(OH)aryl,  $-C_1$ - $C_8$  alkylC(O)heterocyclic,  $-C_1$ - $C_8$  alkylC(O)aryl, aryloxy $C_1$ - $C_8$  alkyl-, benzhydryl, fused bicyclic,  $C_1$ - $C_8$  alkylfused bicyclic, phenylC(O)-, phenylC(O)  $C_1$ - $C_8$  alkyl-,  $C_1$ - $C_8$  alkoxy $C_1$ - $C_8$  alkyl-, CO(O) $C_1$ - $C_8$  alkyl,  $-SO_2$  $C_1$ - $C_8$  alkyl,  $-SO_2$  $C_1$ - $C_{10}$  alkylaryl,  $-SO_2$  $C_1$ - $C_8$  alkylheterocyclic,  $-C_1$ - $C_8$  alkylcycloalkyl,  $-(CH_2)_n$ C(O)OR<sup>8</sup>,  ~~$-(CH_2)_n$ C(O)R<sup>8</sup>~~,  $(CH_2)_m$ C(O)NR<sup>8</sup>R<sup>8</sup>, and  $-(CH_2)_m$ NSO<sub>2</sub>R<sup>8</sup>~~; wherein each of the alkyl, alkenyl, cycloalkyl, heterocyclic, and aryl groups are optionally substituted with one to five groups independently selected from halo,  $C_1$ - $C_8$  haloalkyl,  $C_1$ - $C_8$  thioalkyl,  $C_1$ - $C_8$  alkyl,  $C_2$ - $C_8$  alkenyl, aryl,  $-C_1$ - $C_8$  alkylaryl,  $-C(O)$  $C_1$ - $C_8$  alkyl,  $-SO_2$  $C_1$ - $C_8$  alkyl,  $-SO_2$  $C_1$ - $C_8$  alkylaryl,  $-SO_2$  $C_1$ - $C_8$  alkylheterocyclic,  $-C_1$ - $C_8$  alkylcycloalkyl,  $-(CH_2)_n$ C(O)OR<sup>8</sup>, and  $-(CH_2)_n$ C(O)R<sup>8</sup>; and wherein  $R^1$  and  $R^2$  may optionally combine with each other, or with 1, or 2 atoms adjacent to the nitrogen atom to form a 4, 5, 6, or 7-membered nitrogen-containing heterocycle which nitrogen-containing heterocycle may further have substituents selected from the group consisting of amino,  $C_1$ - $C_8$  alkyl,  $C_2$ - $C_8$  alkenyl,  $C_2$ -

C<sub>8</sub> alkynyl, aryl, C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, halo, oxo, and C<sub>1</sub>-C<sub>8</sub> haloalkyl; and wherein R<sup>1</sup> and R<sup>2</sup> may independently attach to the A ring to form a 4, 5, 6, or 7-member nitrogen-containing bicyclic heterocycle which nitrogen-containing bicyclic heterocycle may further have substituents selected from the group consisting of oxo, amino, -C<sub>1</sub>-C<sub>8</sub> alkyl, -C<sub>2</sub>-C<sub>8</sub> alkenyl, -C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, halo, and C<sub>1</sub>-C<sub>8</sub> haloalkyl; ~~and wherein R<sup>1</sup> and R<sup>2</sup> are not simultaneously hydrogen; and provided that when v is 2, and R<sup>3</sup> and R<sup>3'</sup> are both hydrogen or CH<sub>3</sub>, and both A and B rings are phenyl, then the group -NR<sup>1</sup>R<sup>2</sup> is not equal to -NHCH<sub>2</sub>Phenyl; and further provided that when one of R<sup>1</sup> or R<sup>2</sup> is -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted phenyl or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted naphthyl, or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted 5 or 6 member monocyclic heterocyclic aromatic, and v is 1, and both A and B rings are phenyl, then R<sup>6</sup> and R<sup>7</sup> are not simultaneously hydrogen; and wherein R<sup>1</sup> and R<sup>2</sup> are not simultaneously hydrogen; and provided that when one of R<sup>1</sup> and R<sup>2</sup> is hydrogen the other is not C<sub>1</sub>-C<sub>8</sub> alkyl; and provided that the group NR<sup>1</sup>R<sup>2</sup> is not -NHCH<sub>2</sub>Ph; and further provided that when one of R<sup>1</sup> or R<sup>2</sup> is -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted phenyl or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted naphthyl, or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted 5 or 6 member monocyclic heterocyclic aromatic, and v is 1, then R<sup>6</sup> and R<sup>7</sup> are not simultaneously hydrogen;~~

R<sup>3</sup> and R<sup>3'</sup> are each independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylcycloalkyl, and -C<sub>1</sub>-C<sub>8</sub> alkylaryl;

R<sup>4</sup> and R<sup>5</sup> are each independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, -C<sub>2</sub>-C<sub>8</sub> alkynyl, -C<sub>1</sub>-C<sub>8</sub> alkoxyalkyl, C<sub>1</sub>-C<sub>8</sub> thioalkyl, halo, C<sub>1</sub>-C<sub>8</sub> haloalkyl, -C<sub>1</sub>-C<sub>8</sub> alkoxyhaloalkyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, or -C(O)OC<sub>1</sub>-C<sub>8</sub> alkyl, -C<sub>1</sub>-C<sub>8</sub> alkylamino, -C<sub>1</sub>-C<sub>8</sub> alkylcycloalkyl, -(CH<sub>2</sub>)<sub>m</sub>C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, and (CH<sub>2</sub>)<sub>n</sub>NR<sup>8</sup>R<sup>8</sup>, wherein each R<sup>4</sup> or R<sup>5</sup> is attached to its respective ring only at carbon atoms, and wherein y is 0, 1, 2, or 3; and wherein z is 0, 1, 2, or 3;

R<sup>6</sup> and R<sup>7</sup> are each independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>8</sub> alkoxy, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkyl, SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylaryl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylheterocyclic, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -C<sub>1</sub>-C<sub>6</sub> alkylcycloalkyl, -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup>, -(CH<sub>2</sub>)<sub>m</sub>C(O)NR<sup>8</sup>R<sup>8</sup>, and -(CH<sub>2</sub>)<sub>m</sub>NSO<sub>2</sub>R<sup>8</sup>; wherein each of the alkyl, alkenyl, and aryl groups are optionally substituted with one to five groups

independently selected from C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, aryl, and C<sub>1</sub>-C<sub>8</sub> alkylaryl; and wherein R<sup>6</sup> and R<sup>7</sup> may independently combine with each other, and with the nitrogen atom to which they are attached or with 1, or 2 atoms adjacent to the nitrogen atom to form a 4, 5, 6, or 7-membered nitrogen containing heterocycle which nitrogen-containing heterocycle may optionally have substituents selected from the group consisting of oxo, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>8</sub> alkoxy, -C<sub>1</sub>-C<sub>8</sub> alkylamine, amino, halo, and haloalkyl; R<sup>8</sup> is hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, or -C(O)OC<sub>1</sub>-C<sub>8</sub> alkyl; and wherein n is 0, 1, 2, 3 or 4 and m is 1, 2, or 3; or a pharmaceutically acceptable salt, solvate, enantiomer, racemate, diastereomer or mixture of diastereomers thereof.

2. (previously presented) The compound according to claim 1 wherein the A-ring is selected from the group consisting of phenyl, pyridine, pyrimidine, pyrazine, and pyridazine.

3. (previously presented) A compound according to Claim 1 wherein the B-ring is selected from the group consisting of phenyl, pyridine, pyrimidine, pyrazine, and pyridazine.

4. (previously presented) A compound according to Claim 1 wherein the A-ring is phenyl and the B ring is pyridinyl.

5. (previously presented) A compound according to Claim 1 wherein the A ring is phenyl and the B ring is pyrazinyl.

6. (previously presented) A compound according to Claim 1 wherein the A-ring is pyridinyl and the B-ring is phenyl.

7. (previously presented) A compound according to Claim 1 wherein both rings A and B are pyridinyl.


8. (previously presented) A compound according to Claim 1 wherein both rings A and B are phenyl.

9. (currently amended) A compound according to ~~any one of Claims 1 to 8~~ wherein E is an oxygen atom.

10. (previously presented) A compound according to Claim 1 wherein y is 0, 1, or 2, and R<sup>4</sup> is independently selected from the group consisting of hydrogen, fluoro, chloro, bromo, methoxy, ethoxy, methyl, ethyl, isopropyl, trifluoromethyl, trifluoromethoxy, phenyl, and benzyl.

11. (previously presented) A compound according to Claim 1 wherein z is 0, 1, or 2, and R<sup>5</sup> is independently selected from the group consisting of hydrogen, fluoro, chloro, bromo, methoxy, ethoxy, methyl, ethyl, isopropyl, trifluoromethyl, trifluoromethoxy, phenyl, and benzyl.

12. (previously presented) A compound according to Claim 1 wherein R<sup>1</sup> and R<sup>2</sup> are each independently selected from the group consisting of hydrogen, methyl, ethyl, propyl, isopropyl, phenyl,



and wherein n is 1, 2, or 3.

13. (currently amended) The compound according to ~~any one~~ of Claim[[s]] 1 ~~to 12~~ wherein R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of hydrogen, methyl, ethyl, propyl, isopropyl, phenyl, provided that when one of R<sup>1</sup> or R<sup>2</sup> is -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted phenyl or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted naphthyl, or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted 5 or 6 member monocyclic heterocyclic aromatic, and v is 1, and the B ring is phenyl, then R<sup>6</sup> and R<sup>7</sup> are not simultaneously hydrogen.


14. (currently amended) A compound according to ~~any one of~~ Claim[[s]] 1 ~~to 12~~ wherein E is an oxygen atom, R<sup>6</sup> and R<sup>7</sup> are each hydrogen provided that R<sup>1</sup> and R<sup>2</sup> are not simultaneously hydrogen and further provided that when one of R<sup>1</sup> or R<sup>2</sup> is -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted phenyl or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted naphthyl, or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted 5 or 6 member monocyclic heterocyclic aromatic, and v is 1, the B ring is not phenyl.

15. (currently amended) A compound according to ~~any one of~~ Claim[[s]] 1 ~~to 12~~ wherein v is 1 or 2.


16. (currently amended) A compound according to ~~any one of~~ Claim[[s]] 1 ~~to 12~~ wherein v is 1.

17. (currently amended) A compound according to ~~any one of~~ Claim[[s]] 1 ~~to 12~~ wherein v is 2, m is 1, n is 1, y is 0 or 1 and z is 0 or 1.


18. (previously presented) A compound selected from the group consisting of:  
6-{4-[(3-Methyl-butylamino)-methyl]-phenoxy}-nicotinamide




5-{2-Fluoro-4-[(3-methyl-butylamino)-methyl]-phenoxy}-pyrazine-2-carboxamide




5-(2-Methoxy-4-pentylaminomethyl-phenoxy)-pyrazine-2-carboxamide




6-(2-Fluoro-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-nicotinamide




6-(2,3-Difluoro-4-pentylaminomethyl-phenoxy)-nicotinamide




5-(4-{[2-(4-Fluoro-phenyl)-ethylamino]-methyl}-2-methoxy-phenoxy)-pyrazine-2-carboxamide




5-{4-[(4,4-Dimethyl-pentylamino)-methyl]-2-methoxy-phenoxy}-pyrazine-2-carboxamide




5-(2-Methoxy-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-pyrazine-2-carboxamide




5-{4-[(3,3-Dimethyl-butylamino)-methyl]-2-fluoro-phenoxy}-pyrazine-2-carboxamide




5-(2-Fluoro-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-pyrazine-2-carboxamide




6-{2-Methyl-4-[(3-methyl-butylamino)-methyl]-phenoxy}-nicotinamide; methanesulfonic acid salt




5-(2-Methyl-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-pyrazine-2-carboxamide




6-{4-[(3,3-Dimethyl-butylamino)-methyl]-2-fluoro-6-methoxy-phenoxy}-nicotinamide




5-(2-Fluoro-4-pentylaminomethyl-phenoxy)-pyrazine-2-carboxamide




3-Chloro-4-{4-[(3,3-dimethyl-butylamino)-methyl]-phenoxy}-benzamide




6-(4-{[2-(Tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-nicotinamide



6-{4-[2-(3,3-Dimethyl-butylamino)-ethyl]-2,6-difluoro-phenoxy}-nicotinamide



6-{2-Chloro-4-[(3-methyl-butylamino)-methyl]-phenoxy}-nicotinamide




3,5-Difluoro-4-{4-[(3-methyl-butylamino)-methyl]-phenoxy}-benzamide







6-{2,3,6-Trifluoro-4-[(3-methyl-butylamino)-methyl]-phenoxy}-nicotinamide



6-{2,6-Difluoro-4-[(3-methyl-butylamino)-methyl]-phenoxy}-nicotinamide




3-Fluoro-4-{4-[(3-methyl-butylamino)-methyl]-phenoxy}-benzamide




and a pharmaceutically acceptable salt, or solvate thereof.

19. (previously presented) The compound 6-{4-[(3-Methyl-butylamino)-methyl]-phenoxy}-nicotinamide




or a pharmaceutically acceptable salt, or solvate thereof.

20. (previously presented) The hydrochloric acid salt of the compound 6-{4-[(3-Methyl-butylamino)-methyl]-phenoxy}-nicotinamide




21. (previously presented) The compound 5-(4-{[2-(4-Fluoro-phenyl)-ethylamino]-methyl}-2-methoxy-phenoxy)-pyrazine-2-carboxamide




or a pharmaceutically acceptable salt, or solvate thereof.

22. (previously presented) The compound 5-(2-Methoxy-4-pentylaminomethyl-phenoxy)-pyrazine-2-carboxylic acid amide




or a pharmaceutically acceptable salt, or solvate thereof.

23. (previously presented) The compound 5-(2-Methoxy-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-pyrazine-2-carboxamide



or a pharmaceutically acceptable salt, or solvate thereof.

24. (previously presented) The compound 6-(2-Fluoro-4-{[2-(tetrahydropyran-4-yl)-ethylamino]-methyl}-phenoxy)-nicotinamide; methanesulfonic acid salt




25. (currently amended) A compound according to ~~any one of Claim[[s]] 1 to 18~~ wherein the pharmaceutically acceptable salt is the hydrochloric acid salt, the methanesulfonic acid salt, hydrobromide salt, the bisulfate salt or tartaric acid salt.

26. (currently amended) A pharmaceutical composition comprising a therapeutically effective amount of a compound according to ~~any one of Claim[[s]] 1 to 24~~ in association with a carrier, diluent and/or excipient.

27. (currently amended) A method for blocking a mu, kappa, delta or receptor combination (heterodimer) thereof in mammals comprising administering to a mammal requiring blocking of a mu, kappa, delta or receptor combination (heterodimer) thereof, a receptor blocking dose of a compound according to ~~any one of Claim[[s]] 1 to 24~~, or a pharmaceutically acceptable salt, enantiomer, racemate, mixture of diastereomers, or solvate thereof.

28. (currently amended) A method of treating or preventing obesity and Related Diseases comprising administering a therapeutically effective amount of a compound of formula II wherein formula II is represented by the structure



wherein

each of  $X_1'$ ,  $X_2'$ ,  $X_3'$ ,  $X_4'$ ,  $X_5'$ ,  $X_6'$ ,  $X_7'$ ,  $X_8'$ ,  $X_9'$  and  $X_{10}'$  is C, CH, or N; provided that each of rings A' or B' has no more than 2 nitrogen atoms;

E' is O or NH;

v is 0, 1, 2 or 3;

$R^{1'}$  and  $R^{2'}$  are independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, C<sub>3</sub>-C<sub>8</sub> cycloalkyl, -C<sub>1</sub>-C<sub>10</sub> alkylaryl, heterocyclyl, -C<sub>1</sub>-C<sub>10</sub> alkylheterocyclic, -arylheterocyclyl, -C<sub>3</sub>-C<sub>8</sub> cycloalkylheterocyclyl, -C<sub>1</sub>-C<sub>8</sub> alkylC(O)C<sub>1</sub>-C<sub>8</sub> alkyl, aryl C(O)C<sub>1</sub>-C<sub>8</sub> alkyl-, C<sub>3</sub>-C<sub>8</sub> cycloalkylC(O)(CH<sub>2</sub>)<sub>n</sub>-, ~~C<sub>2</sub>-C<sub>8</sub> alkylCH(OH)aryl~~, ~~C<sub>2</sub>-C<sub>8</sub> alkylCH(OH)cycloalkyl~~, ~~C<sub>2</sub>-C<sub>8</sub> alkylCH(OH)heterocyclyl~~, ~~C<sub>2</sub>-C<sub>8</sub> alkylCH(OH)aryl~~, -C<sub>1</sub>-C<sub>8</sub> alkylC(O)heterocyclic, -C<sub>1</sub>-C<sub>8</sub> alkylC(O)aryl, aryloxyC<sub>1</sub>-C<sub>8</sub> alkyl-, benzhydryl, fused bicyclic, C<sub>1</sub>-C<sub>8</sub> alkylfused bicyclic, phenylC(O)-, phenylC(O) C<sub>1</sub>-C<sub>8</sub> alkyl-, C<sub>1</sub>-C<sub>8</sub> alkoxyC<sub>1</sub>-C<sub>8</sub> alkyl-, -CO(O)C<sub>1</sub>-C<sub>8</sub>alkyl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub>alkyl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkylaryl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylheterocyclic, -C<sub>1</sub>-C<sub>8</sub> alkylcycloalkyl, -(CH<sub>2</sub>)<sub>n</sub>C(O)OR<sup>8</sup>, -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup>, -(CH<sub>2</sub>)<sub>m</sub>C(O)NR<sup>8</sup>R<sup>8</sup>, and -(CH<sub>2</sub>)<sub>m</sub>NSO<sub>2</sub>R<sup>8</sup>; wherein each of the alkyl, alkenyl, cycloalkyl, heterocyclic, and aryl groups are optionally substituted with one to five groups independently selected from halo, C<sub>1</sub>-C<sub>8</sub> haloalkyl, C<sub>1</sub>-C<sub>8</sub> thioalkyl, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkyl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylaryl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylheterocyclic, -C<sub>1</sub>-C<sub>8</sub> alkylcycloalkyl, -(CH<sub>2</sub>)<sub>n</sub>C(O)OR<sup>8</sup>, -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup>; and wherein  $R^{1'}$  and  $R^{2'}$  may optionally combine with each other, or with 1, or 2 atoms adjacent to the nitrogen atom to form a 4, 5, 6, or 7-membered nitrogen-containing heterocycle which nitrogen-containing heterocycle may further have substituents selected from the group consisting of amino, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, halo, oxo, C<sub>1</sub>-C<sub>8</sub> haloalkyl; and wherein  $R^{1'}$  and  $R^{2'}$  may independently attach to the A' ring to form a 4, 5, 6, or 7-member nitrogen-containing bicyclic heterocycle which nitrogen-containing bicyclic heterocycle may further have substituents selected from the group consisting of oxo, amino, -C<sub>1</sub>-C<sub>8</sub> alkyl, -C<sub>2</sub>-C<sub>8</sub> alkenyl, -C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, halo, and C<sub>1</sub>-C<sub>8</sub> haloalkyl; provided that  $R^{1'}$  and  $R^{2'}$  are not simultaneously hydrogen; and provided that when v is 2, and  $R^{3a}$  and  $R^{3b}$  are both hydrogen or CH<sub>3</sub>, and both A' and B' rings are phenyl, then the group -

NR<sup>1'</sup>R<sup>2'</sup> is not equal to -NHCH<sub>2</sub>Phenyl; and further provided that when one of R<sup>1'</sup> or R<sup>2'</sup> is -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted phenyl or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted naphthyl, or -CH<sub>2</sub>CH<sub>2</sub>-optionally substituted 5 or 6 member monocyclic heterocyclic aromatic, and v is 1, and both A' and B' rings are phenyl, then R<sup>6'</sup> and R<sup>7'</sup> are not simultaneously hydrogen; R<sup>3a</sup> and R<sup>3b</sup> are each independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylcycloalkyl, aryl, and -C<sub>1</sub>-C<sub>8</sub> alkylaryl; R<sup>4'</sup> and R<sup>5'</sup> are each independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, -C<sub>2</sub>-C<sub>8</sub> alkynyl, -C<sub>1</sub>-C<sub>8</sub> alkoxyalkyl, C<sub>1</sub>-C<sub>8</sub> thioalkyl, halo, C<sub>1</sub>-C<sub>8</sub> haloalkyl, -C<sub>1</sub>-C<sub>8</sub> alkoxyhaloalkyl, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, or -C(O)OC<sub>1</sub>-C<sub>8</sub> alkyl, -C<sub>1</sub>-C<sub>8</sub> alkylamino, -C<sub>1</sub>-C<sub>8</sub> alkylcycloalkyl, -(CH<sub>2</sub>)<sub>m</sub>C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, and -(CH<sub>2</sub>)<sub>n</sub>NR<sup>8</sup>R<sup>8</sup>, wherein each R<sup>4'</sup> and R<sup>5'</sup> is attached to its respective ring only at carbon atoms, and wherein y is 0, 1, 2, or 3; and wherein z is 0, 1, 2, or 3; R<sup>6'</sup> and R<sup>7'</sup> are each independently selected from hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, hydroxy, C<sub>1</sub>-C<sub>8</sub> alkoxy, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkyl, SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylaryl, -SO<sub>2</sub>C<sub>1</sub>-C<sub>8</sub> alkylheterocyclic, aryl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, -C<sub>1</sub>-C<sub>6</sub> alkylcycloalkyl, -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup>, -(CH<sub>2</sub>)<sub>m</sub>C(O)NR<sup>8</sup>R<sup>8</sup>, and -(CH<sub>2</sub>)<sub>m</sub>NSO<sub>2</sub>R<sup>8</sup>; wherein each of the alkyl, alkenyl, and aryl groups are optionally substituted with one to five groups independently selected from C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, aryl, and C<sub>1</sub>-C<sub>8</sub> alkylaryl; and wherein R<sup>6'</sup> and R<sup>7'</sup> may independently combine together, and with the nitrogen atom to which they are attached or with 1, or 2 atoms adjacent to the nitrogen atom to form a 4, 5, 6, or 7-membered nitrogen containing heterocycle which nitrogen containing heterocycle may further have substituents selected from the group consisting of C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>2</sub>-C<sub>8</sub> alkynyl, phenyl, -C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, -CO(O)C<sub>1</sub>-C<sub>8</sub> alkyl, hydroxy, -C<sub>1</sub>-C<sub>8</sub> alkoxy, halo, and haloalkyl; R<sup>8</sup> is hydrogen, C<sub>1</sub>-C<sub>8</sub> alkyl, C<sub>2</sub>-C<sub>8</sub> alkenyl, C<sub>1</sub>-C<sub>8</sub> alkylaryl, -C(O)C<sub>1</sub>-C<sub>8</sub> alkyl, or -C(O)OC<sub>1</sub>-C<sub>8</sub> alkyl; wherein n is 0, 1, 2, 3 or 4 and wherein m is 1, 2 or 3; or a pharmaceutically acceptable salt, solvate, enantiomer, racemate, diastereomers or mixtures thereof.

29. (previously presented) A method according to Claim 28 wherein the Related Diseases is selected from the group consisting of diabetes, diabetic complications,

diabetic retinopathy, atherosclerosis, hyperlipidemia, hypertriglycemia, hyperglycemia, and hyperlipoproteinemia.

30. (previously presented) A method of treating and/or preventing diseases related to obesity including irritable bowel syndrome, nausea, vomiting, obesity-related depression, obesity-related anxiety, smoking and alcohol addiction, sexual dysfunction, substance abuse, drug overdose, addictive behavior disorders, compulsive behaviors and stroke, comprising administering a therapeutically effective amount of a compound of formula I or II.

31. (cancelled)

32. (cancelled)

33. (previously presented) A method of suppressing appetite in a patient in need thereof, comprising administering a therapeutically effective amount of a compound of formula I or II.

34. (previously presented) A method of effecting weight loss in an obese patient comprising administering an effective amount of a compound of formula I or formula II or pharmaceutically acceptable salt, solvate, racemate or enantiomer thereof.

35. (previously presented) Use of a compound according to Claim 18 for the treatment of obesity comprising administering an effective dose of said compound to a person in need thereof.

36. (previously presented) Use of a compound according to Claim 18 for the treatment of weight loss comprising administering an effective dose of said compound to a person in need thereof.

37. (cancelled)

38. (currently amended) A pharmaceutical composition for the treatment and/or amelioration of the symptoms associated with obesity and Related Diseases, containing as an active ingredient a compound of formula I ~~according to any one of Claims 1 to 24~~ or a compound of formula II ~~according to Claim 28~~.

39. (New) 6-{4-[2-(Benzyl-phenethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[Benzyl-(3-phenyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(Benzyl-hexyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-heptyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[Benzyl-(5-methyl-hexyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-{Benzyl-[2-(3-chloro-phenyl)-ethyl]-amino}-ethyl)-phenoxy]-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclohexyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[Benzyl-(3-o-tolyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[Benzyl-(3-thiophen-2-yl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(Benzyl-pentyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclopentyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-{Benzyl-[2-(2-fluoro-phenyl)-ethyl]-amino}-ethyl)-phenoxy]-  
nicotinamide,  
6-[4-(2-Dibenzylamino-ethyl)-phenoxy]-nicotinamide,  
6-(4-{2-[Benzyl-(3-oxo-3-phenyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[Benzyl-(3-oxo-3-thiophen-2-yl-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclohexyl-3-oxo-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-hydroxy-3-phenyl-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-hydroxy-3-thiophen-2-yl-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclohexyl-3-hydroxy-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,

6-{4-[2-(3-Phenyl-propylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-[4-(2-Phenethylamino-ethyl)-phenoxy]-nicotinamide,  
 6-[4-(2-Hexylamino-ethyl)-phenoxy]-nicotinamide,  
 6-[4-(2-Heptylamino-ethyl)-phenoxy]-nicotinamide,  
 6-[4-(2-Pentylamino-ethyl)-phenoxy]-nicotinamide,  
 6-{4-[2-(5-Methyl-hexylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-(4-{2-[2-(3-Chloro-phenyl)-ethylamino]-ethyl}-phenoxy)-nicotinamide,  
 6-{4-[2-(3-Cyclopentyl-propylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3-Cyclohexyl-propylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-(4-{2-[2-(3-Fluoro-phenyl)-ethylamino]-ethyl}-phenoxy)-nicotinamide,  
 6-{4-[2-(3-o-Tolyl-propylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3-Thiophen-2-yl-propylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-[4-(2-Amino-ethyl)-phenoxy]-nicotinamide,  
 6-{4-[2-(2-Methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3-Fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3-Chloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3,4-Dichloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3-Trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Cyano-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Methyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3,5-Bis-trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(2,6-Difluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3,5-Difluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Acetylamino-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(2-Trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(2-Methyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(3-Methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Chloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Phenoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
 6-{4-[2-(4-Methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,



6-{4-[2-(4-Trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Oxo-2,3-dihydro-1H-isoindol-1-ylamino)-ethyl]-phenoxy}-  
nicotinamide,  
6-{4-[2-(4-Trifluoromethoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Trifluoromethoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-Octylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Cyclohexylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Cyclohexylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(2-Propylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Butylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Isopropylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Isobutylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(3-Methyl-butylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Pyridin-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Pyridin-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Methyl-furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(3-Methyl-thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Methyl-thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Thiophen-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-Ethylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(4-Hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Phenyl-prop-2-ynylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Furan-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Benzofuran-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Ethyl-furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Chloro-thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(4,5-Dimethyl-furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,

6-(4-{2-[(4-Chloro-1-methyl-1H-pyrazol-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Thiazol-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(2-Methyl-1H-imidazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(3,5-Di-tert-butyl-4-hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Phenoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Chloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Cyano-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Methyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(1H-Imidazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Pyridin-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(2-Phenoxy-ethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Fluoro-4-hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(2-Butyl-1H-imidazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Benzo[b]thiophen-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(3-Phenyl-1H-pyrazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-Allylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(4-Imidazol-1-yl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(3-Methyl-benzo[b]thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(4-Methyl-pent-2-enylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Trifluoromethoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(2-Piperidin-1-yl-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(4-Cyclohexyl-butylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Cyclohexyl-ethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Chloro-6-fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cyclopropylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Naphthalen-1-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,

6-(4-{2-[(Bicyclo[2.2.1]hept-5-en-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Naphthalen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Quinolin-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(2,6-Dichloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Indan-1-ylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Hydroxy-5-methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Bromo-4-fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Fluoro-2-trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Chloro-4-fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(2-Cyclooctylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(2-Phenoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cyclobutylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cycloheptylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(2-Morpholin-4-yl-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(2,4-Dichloro-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(2-Chloro-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(Cyclopentylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(3,5-Dimethyl-isoxazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Methyl-isoxazol-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(3-Phenyl-isoxazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-{[3-(4-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethyl]-amino}-ethyl)-phenoxy]-nicotinamide,  
6-(4-{2-[(5-p-Tolyl-[1,3,4]oxadiazol-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(1-Phenyl-ethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(3-Benzylamino-propyl)-phenoxy]-nicotinamide,  
6-{4-[3-(Benzyl-pentyl-amino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[3-(Benzyl-phenethyl-amino)-propyl]-phenoxy}-nicotinamide,

6-(4-{3-[Benzyl-(3-cyclopentyl-propyl)-amino]-propyl}-phenoxy)-nicotinamide,  
6-[4-(3-{Benzyl-[2-(3-fluoro-phenyl)-ethyl]-amino}-propyl)-phenoxy]-  
nicotinamide,  
6-[4-(3-Pentylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(3-Phenethylamino-propyl)-phenoxy]-nicotinamide,  
6-{4-[3-(3-Cyclopentyl-propylamino)-propyl]-phenoxy}-nicotinamide,  
6-(4-{3-[2-(3-Fluoro-phenyl)-ethylamino]-propyl}-phenoxy)-nicotinamide,  
(R)-6-[4-(2-Benzylamino-propyl)-phenoxy]-nicotinamide,  
(R)-6-[4-(2-Dibenzylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Benzylamino-2-methyl-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Methyl-2-pentylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Methyl-2-phenethylamino-propyl)-phenoxy]-nicotinamide,  
6-(4-{2-[2-(3-Fluoro-phenyl)-ethylamino]-2-methyl-propyl}-phenoxy)-  
nicotinamide,  
6-{4-[2-(3-Cyclopentyl-propylamino)-2-methyl-propyl]-phenoxy}-nicotinamide,  
6-[4-(3-Benzylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Pentylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Propylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Methylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Phenethylamino-butyl)-phenoxy]-nicotinamide,  
6-(4-{3-[2-(3-Fluoro-phenyl)-ethylamino]-butyl}-phenoxy)-nicotinamide,  
6-(4-{3-[2-(3-Chloro-phenyl)-ethylamino]-butyl}-phenoxy)-nicotinamide,  
6-(4-{3-[(Furan-2-ylmethyl)-amino]-butyl}-phenoxy)-nicotinamide,  
6-{4-[3-(2-Thiophen-2-yl-ethylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(Cyclopropylmethyl-amino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(3-Trifluoromethyl-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Fluoro-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(3-Fluoro-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-[4-(3-Allylamino-butyl)-phenoxy]-nicotinamide,  
6-{4-[3-(4-Chloro-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Methoxy-benzylamino)-butyl]-phenoxy}-nicotinamide,

6-{4-[3-(4-Trifluoromethyl-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Trifluoromethoxy-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(3-Trifluoromethoxy-benzylamino)-butyl]-phenoxy}-nicotinamide,  
(1R)-6-{4-[3-(1-Phenyl-ethylamino)-butyl]-phenoxy}-nicotinamide,  
(1S)-6-{4-[3-(1-Phenyl-ethylamino)-butyl]-phenoxy}-nicotinamide,  
6-[4-(2-Benzylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Pentylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Propylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Methylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Phenethylamino-propyl)-phenoxy]-nicotinamide,  
6-(4-{2-[2-(3-Fluoro-phenyl)-ethylamino]-propyl}-phenoxy)-nicotinamide,  
6-(4-{2-[2-(3-Chloro-phenyl)-ethylamino]-propyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Furan-2-ylmethyl)-amino]-propyl}-phenoxy)-nicotinamide,  
6-{4-[2-(2-Thiophen-2-yl-ethylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cyclopropylmethyl-amino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Trifluoromethyl-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Fluoro-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Fluoro-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-[4-(2-Allylamino-propyl)-phenoxy]-nicotinamide,  
6-{4-[2-(4-Chloro-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Trifluoromethyl-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Methoxy-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Trifluoromethoxy-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Trifluoromethoxy-benzylamino)-propyl]-phenoxy}-nicotinamide,  
(1S)-6-{4-[2-(1-Phenyl-ethylamino)-propyl]-phenoxy}-nicotinamide,  
(1R)-6-{4-[2-(1-Phenyl-ethylamino)-propyl]-phenoxy}-nicotinamide,  
6-[4-(2-Benzylamino-1-methyl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Benzyl-pentyl-amino)-1-methyl-ethyl]-phenoxy}-nicotinamide,  
6-[4-(1-Methyl-2-pentylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Benzylamino-1,1-dimethyl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Cyclohexylmethyl-amino)-1,1-dimethyl-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(2-Chloro-benzylamino)-1,1-dimethyl-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Fluoro-benzylamino)-1,1-dimethyl-ethyl]-phenoxy}-nicotinamide,  
6-[4-(3-Phenylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Dimethylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Piperidin-1-yl-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Morpholin-1-yl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(3,4-Dihydro-1H-isoquinolin-2-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Benzoyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Methyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3,5-Dimethyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Benzhydryl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Phenyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[3-Fluoro-phenyl]-piperidin-1-yl}-ethyl)-phenoxy)-nicotinamide,  
6-[4-(2-Azepan-1-yl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Benzyl-methyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-ethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-propyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-butyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-cyclopropylmethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-isobutyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-(3-methyl-butyl)-amino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(2-Benzoylamino-ethyl)-phenoxy]-nicotinamide,  
4-[4-(2-Benzylamino-ethyl)-phenoxy]-2-fluoro-benzamide,  
2-[4-(2-Benzylamino-ethyl)-phenoxy]-4-fluoro-benzamide,  
4-[4-(2-Benzylamino-ethyl)-phenoxy]-2-chloro-benzamide,  
6-[4-(2-Benzylamino-ethyl)-2-methyl-phenoxy]-nicotinamide,  
6-[2-Methyl-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Fluoro-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Ethoxy-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Chloro-4-(phenethylamino-methyl)-phenoxy]nicotinamide,

6-[3-Chloro-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Methyl-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Fluoro-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Chloro-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Ethoxy-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-{4-[2-Cyclopentyl-ethylamino)-methyl]-2-methyl-phenoxy}-nicotinamide,  
6-{4-[2-Cyclopentyl-ethylamino)-methyl]-2-fluoro-phenoxy}-nicotinamide,  
6-{2-Chloro-4-[2-Cyclopentyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[2-Cyclopentyl-ethylamino)-methyl]-2-ethoxy-phenoxy}-nicotinamide,  
6-{2-Methyl-4-[2-thiophen-2-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-2-methyl-phenoxy)-nicotinamide,  
6-{2-Methyl-4-[(2-o-tolyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3,3-Dimethyl-butylamino)-methyl]-2-methyl-phenoxy}-nicotinamide,  
6-(4-{[2-(3-Chloro-phenyl)-ethylamino]-methyl}-2-methyl-phenoxy)-  
nicotinamide,  
6-(4-Butylaminomethyl-2-methyl-phenoxy)-nicotinamide,  
6-(2-Methyl-4-{[methyl-(3-methyl-butyl)-amino]-methyl}-phenoxy)-nicotinamide,  
6-{2-Methyl-4-[(methyl-phenethyl-amino)-methyl]-phenoxy}-nicotinamide,  
3-Fluoro-4-[4-(phenethylamino-methyl)-phenoxy]-benzamide,  
3-Chloro-4-[4-(phenethylamino-methyl)-phenoxy]-benzamide,  
2-Chloro-4-[4-(phenethylamino-methyl)-phenoxy]-benzamide,  
3-Fluoro-4-{2-methyl-4-[(3-methyl-butylamino)-methyl]-phenoxy}-benzamide,  
4-(4-Benzylamino-phenoxy)-benzamide,  
4-(4-Phenethylamino-phenoxy)-benzamide,  
6-[4-(Benzylamino-methyl)-phenoxy]-nicotinamide,  
6-(4-Allylaminomethyl-phenoxy)-nicotinamide,  
6-{4-[(4-Methoxy-benzylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3-Trifluoromethyl-benzylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Thiophen-2-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3-Fluoro-benzylamino)-methyl]-phenoxy}-nicotinamide,

6-(4-([(Furan-2-ylmethyl)-amino]-methyl)-phenoxy)-nicotinamide,  
6-(4-([2-(3-Fluoro-phenyl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-{4-[(4-Trifluoromethoxy-benzylamino)-methyl]-phenoxy}-nicotinamide,  
6-[4-(Phenethylamino-methyl)-phenoxy]-nicotinamide,  
6-(4-([2-(3-Chloro-phenyl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-(4-([2-(4-Sulfamoyl-phenyl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-{4-[(3-Phenyl-propylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3,3-Diphenyl-propylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3,3-Dimethyl-butylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-([2-(2-Methoxy-phenyl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-{4-[(2-Phenylamino-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Phenyl-propylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Pyridin-2-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-([2-(2-Chloro-phenyl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-{4-[(2-Pyridin-3-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2,2-Diphenyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3-Methyl-butylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Cyclohexyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Methylsulfanyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(6-Hydroxy-hexylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Dimethylamino-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-Decylaminomethyl-phenoxy)-nicotinamide,  
6-{4-[(2-Ethyl-hexylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-([(Tetrahydro-furan-2-ylmethyl)-amino]-methyl)-phenoxy)-nicotinamide,  
6-{4-[(2-Pyrrolidin-1-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-([2-(1-Methyl-pyrrolidin-2-yl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-(4-([2-(1H-Imidazol-4-yl)-ethylamino]-methyl)-phenoxy)-nicotinamide,  
6-(4-([3-(2-Methyl-piperidin-1-yl)-propylamino]-methyl)-phenoxy)-nicotinamide,  
6-{4-[(2-Diisopropylamino-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Cyclohex-1-enyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-Pentylaminomethyl-phenoxy)-nicotinamide,



4-{4-[(4-Trifluoromethoxy-benzylamino)-methyl]-phenoxy}-benzamide,  
4-(4-{[2-(3-Chloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-{4-[(4-Trifluoromethyl-benzylamino)-methyl]-phenoxy}-benzamide,  
4-{4-[(4-Fluoro-benzylamino)-methyl]-phenoxy}-benzamide,  
4-(4-Pentylaminomethyl-phenoxy)-benzamide,  
4-{4-[(2-Phenyl-propylamino)-methyl]-phenoxy}-benzamide,  
4-(4-{[2-(2-Chloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2,4-Dichloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(4-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2,5-Dimethoxy-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2,6-Dichloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-{4-[(2-o-Tolyl-ethylamino)-methyl]-phenoxy}-benzamide,  
4-{4-[(2,2-Diphenyl-ethylamino)-methyl]-phenoxy}-benzamide,  
4-[4-(3-Phenyl-propylamino)-phenoxy]-benzamide,  
4-{4-[(2-Cyclopentyl-ethylamino)-methyl]-phenoxy}-benzamide,  
4-{4-[(2,6-Dichloro-benzylamino)-methyl]-phenoxy}-benzamide,  
4-(4-{[(Furan-2-ylmethyl)-amino]-methyl}-phenoxy)-benzamide,  
6-(4-{[2-(3,4-Dichloro-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-(4-{[2-(2-Ethoxy-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(2-o-Tolyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(2-Phenoxy-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-[4-((2-Thiophenyl-ethy-amino)-methyl)-2-ethoxy phenoxy] nicotinamide,  
6-[4-((3-Methyl-butylamino)-methyl)-2-ethoxy phenoxy] nicotinamide  
methanesulfonate salt,

6-[4-((3-Dimethyl-butylamino)-methyl)-2-ethoxy phenoxy] nicotinamide,  
6-[4-(Butylamino-methyl)-2-ethoxy phenoxy] nicotinamide,  
6-[4-((2-Phenyl-ethylamino)-methyl)-2,5-dimethyl phenoxy] nicotinamide,  
6-[4-((2-Cyclopentyl-ethylamino)-methyl)-2-ethoxy phenoxy] nicotinamide  
metanosulfonate salt,  
6-[4-((3-Methyl-butylamino)-methyl)-2,5-dimethyl phenoxy] nicotinamide  
6-(4-Iodo-phenoxy)-nicotinamide,  
(±)-6-(4-Piperidin-3-yl-phenoxy)-nicotinamide,  
(±)-6-[4-(1-Benzyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-Cyclohexylmethyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-Methyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-(3-Fluoro-benzyl)-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-(2-Fluoro-benzyl)-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-Hexyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-{4-[1-(3-Methyl-butyl)-piperidin-3-yl]-phenoxy}-nicotinamide,  
(±)-6-[4-(1-Phenethyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-{4-[1-(2-Cyclohexyl-ethyl)-piperidin-3-yl]-phenoxy}-nicotinamide,  
6-[4-(4-Benzyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Phenethyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Cyclopentyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-{4-[4-(1-Phenyl-ethyl)-piperazin-1-ylmethyl]-phenoxy}-nicotinamide,  
6-[4-(4-Benzhydryl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-{4-[4-(4-Fluoro-phenyl)-piperazin-1-ylmethyl]-phenoxy}-nicotinamide,  
6-[4-(4-Phenyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Cyclohexyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Isopropyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
(3R)-6-{4-[1-(1-Benzyl-pyrrolidin-3-ylamino)-methyl]-phenoxy}-nicotinamide,  
(3S)-6-{4-[1-(1-Benzyl-pyrrolidin-3-ylamino)-methyl]-phenoxy}-nicotinamide,  
(±)-6-[4-(2-Phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(2-Phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide, hydrochloric

acid salt,

(±)-6-[4-(3-Phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,

6-[4-(4-Phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[4-(3-Phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[4-(4-Phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,

6-[4-(4,4-Diphenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

6-[4-(3,3-Diphenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,

6-[4-(2,2-Diphenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,

6-(4-Piperidin-1-ylmethyl-phenoxy)-nicotinamide,

(±)-6-[4-(1,2,4,4a,9,9a-Hexahydro-3-aza-fluoren-3-ylmethyl)-phenoxy]-  
nicotinamide,

(±)-6-{4-[3-(2-Chloro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide,

(±)-6-{4-[3-(3-Chloro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide,

(±)-6-{4-[3-(3-Trifluoromethyl-phenyl)-piperidin-1-ylmethyl]-phenoxy}-  
nicotinamide,

(±)-6-[4-(3-Methyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[4-(3-Phenethyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[4-(3-Phenpropyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[4-(3-Benzyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[4-(3-Phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-{4-[3-(4-Fluoro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide  
hydrochloric acid salt,

(±)-6-{4-[3-(2-Fluoro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide  
hydrochloric acid salt,

(±)-6-[4-(3-Cyclohexyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide hydrochloric  
acid salt,

(±)-6-[2-Methyl-4-(3-phenyl-piperidin-1-ylmethyl)-phenoxy]-  
nicotinamidehydrochloricacid salt,

(±)-6-[2-Methyl-4-(3-phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide  
hydrochloric acid salt,

(±)-6-[2-Methyl-4-(4-phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-1-{6-[2-Methyl-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-pyridin-3-yl}-  
ethanone,  
(±)-5-(1,1-Difluoro-ethyl)-2-[2-methyl-4-(3-phenyl-pyrrolidin-1-ylmethyl)-  
phenoxy]-pyridine hydrochloric acid salt,  
(±)-6-[2-Fluoro-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[2-Ethoxy-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[2-Chloro-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-(3-Phenethyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-yloxy)nicotinamide,  
6-(3-Benzyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-yloxy)-nicotinamide,  
6-[4-(Phenethylaminomethyl)phenoxy]nicotinamidine,  
{2-[4-(5-Aminomethylpyridin-2-yloxy)phenyl]ethyl}benzylamine,  
5-[4-(Phenethylaminomethyl)phenoxy]pyridine-2-carboxamide,  
2-[4-(2-Benzylaminoethyl)phenoxy]nicotinamide,  
6-[4-(2-Benzylaminoethyl)phenoxy]pyridine-2-carboxamide,  
2-[4-(2-Benzylaminoethyl)phenoxy]isonicotinamide,  
N-Methyl-{6-[4-(phenethylaminomethyl)phenoxy]nicotinamidine,  
5-[4-(Phenethylaminomethyl)phenoxy]pyrazine-2-carboxamide,  
5-(4-{[2-(4-Fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide,  
5-{4-[(3-Methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-{2-Methyl-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-{2-Methoxy-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-(4-{[2-(3-Trifluoromethylphenyl)ethylamino]methyl}phenoxy)pyridine-2-  
carboxamide methanesulfonate,  
5-{4-[(2-Thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-{2-Methyl-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-  
carboxamide methanesulfonate,

5-{2-Methoxy-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide methanesulfonate,  
5-{4-[(2-Cyclopentylethylamino)methyl]phenoxy}pyridine-2-carboxamide methanesulfonate,  
5-{4-[(2-Cyclopentylethylamino)methyl]-2-methylphenoxy}pyridine-2-carboxamide methanesulfonate,  
5-{4-[(2-Cyclopentylethylamino)methyl]-2-methoxyphenoxy}pyridine-2-carboxamide methanesulfonate,  
5-(4-{[(Benzo[b]thiophen-3-ylmethyl)amino]methyl}phenoxy)pyridine-2-carboxamide methanesulfonate,  
5-(4-{[2-(4-Methoxyphenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide methanesulfonate,  
5-(4-{[2-(3-Fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide methanesulfonate,  
5-(4-{[2-(2-Fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide methanesulfonate,  
5-{2-Fluoro-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide methanesulfonate,  
5-{2-Methyl-4-[(3-methylbutylamino)methyl]phenoxy}pyrazine-2-carboxamide methanesulfonate,  
5-(2-Fluoro-4-pentylaminomethylphenoxy)pyridine-2-carboxamide,  
5-{2-Fluoro-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{2-Fluoro-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{2-Fluoro-4-[(2-*m*-tolylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-(2-Fluoro-4-{[2-(4-fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide,  
5-{2-Chloro-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-(2-Chloro-4-(pentylaminomethyl)phenoxy)pyridine-2-carboxamide,


5-{2-Chloro-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{2-Chloro-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
6-{2-Methoxy-4-[(3-methylbutylamino)methyl]phenoxy}nicotinamide,  
5-(2-Fluoro-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide,  
5-{2-Fluoro-4-[(2-*o*-tolylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{4-[(2-Naphthalen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{4-[(2-Naphthalen-1-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{4-[(2-Benzo[*b*]thiophen-3-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
6-(2-Methoxy-4-pentylaminomethylphenoxy)nicotinamide,  
6-{2-Methoxy-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}nicotinamide,  
6-{2-Methoxy-4-[(2-*o*-tolylethylamino)methyl]phenoxy}nicotinamide,  
6-{2-Methoxy-4-[(2-*m*-tolylethylamino)methyl]phenoxy}nicotinamide,  
6-{4-[(3,3-Dimethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide,  
6-{2-Methoxy-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}nicotinamide,  
6-(4-Butylaminomethyl-2-methoxyphenoxy)nicotinamide,  
6-(2-Methoxy-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)nicotinamide,  
6-{2-Methoxy-4-[(2-morpholin-4-ylethylamino)methyl]phenoxy}nicotinamide,  
6-{4-[(2-Ethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide,  
6-(4-{[2-(4-Fluorophenyl)ethylamino]methyl}-2-methoxyphenoxy)nicotinamide,  
6-(4-{[2-(2-Fluorophenyl)ethylamino]methyl}-2-methoxyphenoxy)nicotinamide,  
6-(4-Hexylaminomethyl-2-methoxyphenoxy)nicotinamide,  
6-{2-Methoxy-4-[(4-methylpentylamino)methyl]phenoxy}nicotinamide  
methanesulfonate,  
6-{2-Methoxy-4-[(2-*p*-tolylethylamino)methyl]phenoxy}nicotinamide  
methanesulfonate,

5-(2-Methyl-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)pyrazine-2-carboxamide,  
5-{4-[(3,3-Dimethylbutylamino)methyl]-2-methylphenoxy}pyrazine-2-carboxamide,  
5-{4-[(3-Methylbutylamino)methyl]phenoxy}pyrazine-2-carboxamide,  
5-(4-{[2-(Tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)pyrazine-2-carboxamide,  
5-{4-[(3,3-Dimethylbutylamino)methyl]phenoxy}pyrazine-2-carboxamide,  
6-(2-Methoxy-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)nicotinamide methanesulfonate,  
6-(4-Hexylaminomethyl-2-methoxyphenoxy)nicotinamide methanesulfonate,  
6-(2-Methoxy-4-pentylaminomethylphenoxy)nicotinamide methanesulfonate,  
6-(4-Butylaminomethyl-2-methoxyphenoxy)nicotinamide methanesulfonate,  
6-{2-Methoxy-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}nicotinamide methanesulfonate,  
6-{4-[(2-Ethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide methanesulfonate,  
6-{4-[(3,3-Dimethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide methanesulfonate,  
6-{2-Methoxy-4-[(3-methylbutylamino)methyl]phenoxy}nicotinamide methanesulfonate,  
6-(2-Phenethyl-2,3,4,5-tetrahydro-1*H*-benzo[*c*]azepin-7-yloxy)nicotinamide,  
6-[2-(3-Methylbutyl)-2,3,4,5-tetrahydro-1*H*-benzo[*c*]azepin-7-yloxy]nicotinamide,  
6-[2-(3-Methylpentyl)-2,3,4,5-tetrahydro-1*H*-benzo[*c*]azepin-7-yloxy]nicotinamide,  
(±)-6-{4-[2-(2-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-(cis)-6-{4-[2-(3-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-(trans)-6-{4-[2-(3-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-6-{4-[2-((trans)-4-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-6-{4-[2-((trans)-2-Hydroxycyclopentylamino)ethyl]phenoxy}nicotinamide,

4-[5-(Phenethylamino-methyl)-pyridin-2-yloxy]-benzamide dihydrochloride 4-{5-[(3-Trifluoromethyl-benzylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-{5-[(3-Phenyl-propylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-{5-[(4-Fluoro-benzylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-[5-(Isobutylamino-methyl)-pyridin-2-yloxy]-benzamide 4-{5-[(2-Thiophen-2-yl-ethylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-(5-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide 4-(5-{[2-(2-Methoxy-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide 4-(5-{[2-(2-Chloro-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide 4-[5-(3-Phenyl-pyrrolidin-1-ylmethyl)-pyridin-2-yloxy]-benzamide 4-{5-[(3,3-Dimethyl-butylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-{5-[(3-Methyl-butylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-{3-Chloro-5-[(2-thiophen-2-yl-ethylamino)-methyl]-pyridin-2-yloxy}-benzamide 4-(3-Chloro-5-{[2-(3-chloro-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide


and pharmaceutically acceptable salts, solvates, enantiomers, and mixtures of diastereomers thereof in the manufacture of a medicament for the treatment of obesity, and related diseases.

40. (new). The compound 5-(2-Methoxy-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-pyrazine-2-carboxamide, hydrochloric acid salt





41. (new) The compound 5-(2-Fluoro-4-{[2-(tetrahydro-pyran-4-yl)-ethylamino]-methyl}-phenoxy)-pyrazine-2-carboxamide, hydrochloric acid salt



42. (new) A pharmaceutical composition for the treatment and/or amelioration of the symptoms associated with obesity and Related Diseases, comprising a compound selected from the group consisting of:

6-{4-[2-(Benzyl-phenethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[Benzyl-(3-phenyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(Benzyl-hexyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-heptyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[Benzyl-(5-methyl-hexyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-{Benzyl-[2-(3-chloro-phenyl)-ethyl]-amino}-ethyl)-phenoxy]-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclohexyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[Benzyl-(3-o-tolyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[Benzyl-(3-thiophen-2-yl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(Benzyl-pentyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclopentyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-{Benzyl-[2-(2-fluoro-phenyl)-ethyl]-amino}-ethyl)-phenoxy]-  
nicotinamide,  
6-[4-(2-Dibenzylamino-ethyl)-phenoxy]-nicotinamide,  
6-(4-{2-[Benzyl-(3-oxo-3-phenyl-propyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[Benzyl-(3-oxo-3-thiophen-2-yl-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-cyclohexyl-3-oxo-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[Benzyl-(3-hydroxy-3-phenyl-propyl)-amino]-ethyl}-phenoxy)-

nicotinamide,

6-(4-{2-[Benzyl-(3-hydroxy-3-thiophen-2-yl-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,

6-(4-{2-[Benzyl-(3-cyclohexyl-3-hydroxy-propyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,

6-{4-[2-(3-Phenyl-propylamino)-ethyl]-phenoxy}-nicotinamide,

6-[4-(2-Phenethylamino-ethyl)-phenoxy]-nicotinamide,

6-[4-(2-Hexylamino-ethyl)-phenoxy]-nicotinamide,

6-[4-(2-Heptylamino-ethyl)-phenoxy]-nicotinamide,

6-[4-(2-Pentylamino-ethyl)-phenoxy]-nicotinamide,

6-{4-[2-(5-Methyl-hexylamino)-ethyl]-phenoxy}-nicotinamide,

6-(4-{2-[2-(3-Chloro-phenyl)-ethylamino]-ethyl}-phenoxy)-nicotinamide,

6-{4-[2-(3-Cyclopentyl-propylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3-Cyclohexyl-propylamino)-ethyl]-phenoxy}-nicotinamide,

6-(4-{2-[2-(3-Fluoro-phenyl)-ethylamino]-ethyl}-phenoxy)-nicotinamide,

6-{4-[2-(3-o-Tolyl-propylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3-Thiophen-2-yl-propylamino)-ethyl]-phenoxy}-nicotinamide,

6-[4-(2-Amino-ethyl)-phenoxy]-nicotinamide,

6-{4-[2-(2-Methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3-Fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3-Chloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3,4-Dichloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3-Trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(4-Cyano-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(4-Fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(4-Methyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(3,5-Bis-trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(2,6-Difluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide

6-{4-[2-(3,5-Difluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(4-Acetylamino-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(2-Trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(2-Methyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Chloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Phenoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Oxo-2,3-dihydro-1H-isoindol-1-ylamino)-ethyl]-phenoxy}-  
nicotinamide,  
6-{4-[2-(4-Trifluoromethoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Trifluoromethoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-Octylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Cyclohexylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Cyclohexylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(2-Propylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Butylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Isopropylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Isobutylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(3-Methyl-butylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Pyridin-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Pyridin-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Methyl-furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(3-Methyl-thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Methyl-thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Thiophen-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-Ethylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(4-Hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Phenyl-prop-2-ynylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Furan-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,

6-(4-{2-[(Benzofuran-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Ethyl-furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(5-Chloro-thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(4,5-Dimethyl-furan-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(4-Chloro-1-methyl-1H-pyrazol-3-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[(Thiazol-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(2-Methyl-1H-imidazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-{4-[2-(3,5-Di-tert-butyl-4-hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Phenoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Chloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Cyano-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Methyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(1H-Imidazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Pyridin-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(2-Phenoxy-ethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Fluoro-4-hydroxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(2-Butyl-1H-imidazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Benzo[b]thiophen-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(3-Phenyl-1H-pyrazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-Allylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(4-Imidazol-1-yl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(3-Methyl-benzo[b]thiophen-2-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-{4-[2-(4-Methyl-pent-2-enylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Trifluoromethoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(2-Piperidin-1-yl-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-{4-[2-(4-Cyclohexyl-butylamino)-ethyl]-phenoxy}-nicotinamide,

6-{4-[2-(2-Cyclohexyl-ethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Chloro-6-fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cyclopropylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(Naphthalen-1-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Bicyclo[2.2.1]hept-5-en-2-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[(Naphthalen-2-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Quinolin-4-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(2,6-Dichloro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Indan-1-ylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Hydroxy-5-methoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Bromo-4-fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Fluoro-2-trifluoromethyl-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Chloro-4-fluoro-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(2-Cyclooctylamino-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(2-Phenoxy-benzylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cyclobutylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cycloheptylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(2-Morpholin-4-yl-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[(2,4-Dichloro-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(2-Chloro-thiazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-{4-[2-(Cyclopentylmethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[(3,5-Dimethyl-isoxazol-4-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,  
6-(4-{2-[(5-Methyl-isoxazol-3-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(3-Phenyl-isoxazol-5-ylmethyl)-amino]-ethyl}-phenoxy)-nicotinamide,  
6-[4-(2-{[3-(4-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethyl]-amino}-ethyl)-  
phenoxy]-nicotinamide,  
6-(4-{2-[(5-p-Tolyl)-[1,3,4]oxadiazol-2-ylmethyl)-amino]-ethyl}-phenoxy)-  
nicotinamide,

6-{4-[2-(1-Phenyl-ethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(3-Benzylamino-propyl)-phenoxy]-nicotinamide,  
6-{4-[3-(Benzyl-pentyl-amino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[3-(Benzyl-phenethyl-amino)-propyl]-phenoxy}-nicotinamide,  
6-(4-{3-[Benzyl-(3-cyclopentyl-propyl)-amino]-propyl}-phenoxy)-nicotinamide,  
6-[4-(3-{Benzyl-[2-(3-fluoro-phenyl)-ethyl]-amino}-propyl)-phenoxy]-  
nicotinamide,  
6-[4-(3-Pentylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(3-Phenethylamino-propyl)-phenoxy]-nicotinamide,  
6-{4-[3-(3-Cyclopentyl-propylamino)-propyl]-phenoxy}-nicotinamide,  
6-(4-{3-[2-(3-Fluoro-phenyl)-ethylamino]-propyl}-phenoxy)-nicotinamide,  
(R)-6-[4-(2-Benzylamino-propyl)-phenoxy]-nicotinamide,  
(R)-6-[4-(2-Dibenzylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Benzylamino-2-methyl-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Methyl-2-pentylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Methyl-2-phenethylamino-propyl)-phenoxy]-nicotinamide,  
6-(4-{2-[2-(3-Fluoro-phenyl)-ethylamino]-2-methyl-propyl}-phenoxy)-  
nicotinamide,  
6-{4-[2-(3-Cyclopentyl-propylamino)-2-methyl-propyl]-phenoxy}-nicotinamide,  
6-[4-(3-Benzylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Pentylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Propylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Methylamino-butyl)-phenoxy]-nicotinamide,  
6-[4-(3-Phenethylamino-butyl)-phenoxy]-nicotinamide,  
6-(4-{3-[2-(3-Fluoro-phenyl)-ethylamino]-butyl}-phenoxy)-nicotinamide,  
6-(4-{3-[2-(3-Chloro-phenyl)-ethylamino]-butyl}-phenoxy)-nicotinamide,  
6-(4-{3-[(Furan-2-ylmethyl)-amino]-butyl}-phenoxy)-nicotinamide,  
6-{4-[3-(2-Thiophen-2-yl-ethylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(Cyclopropylmethyl-amino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(3-Trifluoromethyl-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Fluoro-benzylamino)-butyl]-phenoxy}-nicotinamide,

6-{4-[3-(3-Fluoro-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-[4-(3-Allylamino-butyl)-phenoxy]-nicotinamide,  
6-{4-[3-(4-Chloro-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Methoxy-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Trifluoromethyl-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(4-Trifluoromethoxy-benzylamino)-butyl]-phenoxy}-nicotinamide,  
6-{4-[3-(3-Trifluoromethoxy-benzylamino)-butyl]-phenoxy}-nicotinamide,  
(1R)-6-{4-[3-(1-Phenyl-ethylamino)-butyl]-phenoxy}-nicotinamide,  
(1S)-6-{4-[3-(1-Phenyl-ethylamino)-butyl]-phenoxy}-nicotinamide,  
6-[4-(2-Benzylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Pentylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Propylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Methylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Phenethylamino-propyl)-phenoxy]-nicotinamide,  
6-(4-{2-[2-(3-Fluoro-phenyl)-ethylamino]-propyl}-phenoxy)-nicotinamide,  
6-(4-{2-[2-(3-Chloro-phenyl)-ethylamino]-propyl}-phenoxy)-nicotinamide,  
6-(4-{2-[(Furan-2-ylmethyl)-amino]-propyl}-phenoxy)-nicotinamide,  
6-{4-[2-(2-Thiophen-2-yl-ethylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Cyclopropylmethyl-amino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Trifluoromethyl-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Fluoro-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Fluoro-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-[4-(2-Allylamino-propyl)-phenoxy]-nicotinamide,  
6-{4-[2-(4-Chloro-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Trifluoromethyl-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Methoxy-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Trifluoromethoxy-benzylamino)-propyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Trifluoromethoxy-benzylamino)-propyl]-phenoxy}-nicotinamide,  
(1S)-6-{4-[2-(1-Phenyl-ethylamino)-propyl]-phenoxy}-nicotinamide,  
(1R)-6-{4-[2-(1-Phenyl-ethylamino)-propyl]-phenoxy}-nicotinamide,  
6-[4-(2-Benzylamino-1-methyl-ethyl)-phenoxy]-nicotinamide,

6-{4-[2-(Benzyl-pentyl-amino)-1-methyl-ethyl]-phenoxy}-nicotinamide,  
6-[4-(1-Methyl-2-pentylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Benzylamino-1,1-dimethyl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Cyclohexylmethyl-amino)-1,1-dimethyl-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(2-Chloro-benzylamino)-1,1-dimethyl-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Fluoro-benzylamino)-1,1-dimethyl-ethyl]-phenoxy}-nicotinamide,  
6-[4-(3-Phenylamino-propyl)-phenoxy]-nicotinamide,  
6-[4-(2-Dimethylamino-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Piperidin-1-yl-ethyl)-phenoxy]-nicotinamide,  
6-[4-(2-Morpholin-1-yl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(3,4-Dihydro-1H-isoquinolin-2-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Benzoyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3-Methyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(3,5-Dimethyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Benzhydryl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(4-Phenyl-piperidin-1-yl)-ethyl]-phenoxy}-nicotinamide,  
6-(4-{2-[3-Fluoro-phenyl]-piperidin-1-yl}-ethyl)-phenoxy)-nicotinamide,  
6-[4-(2-Azepan-1-yl-ethyl)-phenoxy]-nicotinamide,  
6-{4-[2-(Benzyl-methyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-ethyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-propyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-butyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-cyclopropylmethylamino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-isobutyl-amino)-ethyl]-phenoxy}-nicotinamide,  
6-{4-[2-(Benzyl-(3-methyl-butyl)-amino)-ethyl]-phenoxy}-nicotinamide,  
6-[4-(2-Benzoylamino-ethyl)-phenoxy]-nicotinamide,  
4-[4-(2-Benzylamino-ethyl)-phenoxy]-2-fluoro-benzamide,  
2-[4-(2-Benzylamino-ethyl)-phenoxy]-4-fluoro-benzamide,  
4-[4-(2-Benzylamino-ethyl)-phenoxy]-2-chloro-benzamide,  
6-[4-(2-Benzylamino-ethyl)-2-methyl-phenoxy]-nicotinamide,  
6-[2-Methyl-4-(phenethylamino-methyl)-phenoxy]nicotinamide,



6-[2-Fluoro-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Ethoxy-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Chloro-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[3-Chloro-4-(phenethylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Methyl-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Fluoro-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Chloro-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-[2-Ethoxy-4-(3-methyl-butylamino-methyl)-phenoxy]nicotinamide,  
6-{4-[2-Cyclopentyl-ethylamino)-methyl]-2-methyl-phenoxy}-nicotinamide,  
6-{4-[2-Cyclopentyl-ethylamino)-methyl]-2-fluoro-phenoxy}-nicotinamide,  
6-{2-Chloro-4-[2-Cyclopentyl-ethylamino)-methyl] -phenoxy}-nicotinamide,  
6-{4-[2-Cyclopentyl-ethylamino)-methyl]-2-ethoxy-phenoxy}-nicotinamide,  
6-{2-Methyl-4-[2-thiophen-2-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-2-methyl-phenoxy)-nicotinamide,  
6-{2-Methyl-4-[(2-o-tolyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3,3-Dimethyl-butylamino)-methyl]-2-methyl-phenoxy}-nicotinamide,  
6-(4-{[2-(3-Chloro-phenyl)-ethylamino]-methyl}-2-methyl-phenoxy)-  
nicotinamide,  
6-(4-Butylaminomethyl-2-methyl-phenoxy)-nicotinamide,  
6-(2-Methyl-4-{[methyl-(3-methyl-butyl)-amino]-methyl}-phenoxy)-nicotinamide,  
6-{2-Methyl-4-[(methyl-phenethyl-amino)-methyl]-phenoxy}-nicotinamide,  
3-Fluoro-4-[4-(phenethylamino-methyl)-phenoxy]-benzamide,  
3-Chloro-4-[4-(phenethylamino-methyl)-phenoxy]-benzamide,  
2-Chloro-4-[4-(phenethylamino-methyl)-phenoxy]-benzamide,  
3-Fluoro-4-{2-methyl-4-[(3-methyl-butylamino)-methyl]-phenoxy}-benzamide,  
4-(4-Benzylamino-phenoxy)-benzamide,  
4-(4-Phenethylamino-phenoxy)-benzamide,  
6-[4-(Benzylamino-methyl)-phenoxy]-nicotinamide,  
6-(4-Allylaminomethyl-phenoxy)-nicotinamide,  
6-{4-[(4-Methoxy-benzylamino)-methyl]-phenoxy}-nicotinamide,

6-{4-[(3-Trifluoromethyl-benzylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Thiophen-2-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3-Fluoro-benzylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[(Furan-2-ylmethyl)-amino]-methyl}-phenoxy)-nicotinamide,  
6-(4-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(4-Trifluoromethoxy-benzylamino)-methyl]-phenoxy}-nicotinamide,  
6-[4-(Phenethylamino-methyl)-phenoxy]-nicotinamide,  
6-(4-{[2-(3-Chloro-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-(4-{[2-(4-Sulfamoyl-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(3-Phenyl-propylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3,3-Diphenyl-propylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3,3-Dimethyl-butylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(2-Methoxy-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(2-Phenylamino-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Phenyl-propylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Pyridin-2-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(2-Chloro-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(2-Pyridin-3-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2,2-Diphenyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(3-Methyl-butylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Cyclohexyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Methylsulfanyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(6-Hydroxy-hexylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Dimethylamino-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-Decylaminomethyl-phenoxy)-nicotinamide,  
6-{4-[(2-Ethyl-hexylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[(Tetrahydro-furan-2-ylmethyl)-amino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(2-Pyrrolidin-1-yl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(1-Methyl-pyrrolidin-2-yl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-(4-{[2-(1H-Imidazol-4-yl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-(4-{[3-(2-Methyl-piperidin-1-yl)-propylamino]-methyl}-phenoxy)-nicotinamide,

6-{4-[(2-Diisopropylamino-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-{4-[(2-Cyclohex-1-enyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-Pentylaminomethyl-phenoxy)-nicotinamide,  
4-{4-[(4-Trifluoromethoxy-benzylamino)-methyl]-phenoxy}-benzamide,  
4-(4-{[2-(3-Chloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-{4-[(4-Trifluoromethyl-benzylamino)-methyl]-phenoxy}-benzamide,  
4-{4-[(4-Fluoro-benzylamino)-methyl]-phenoxy}-benzamide,  
4-(4-Pentylaminomethyl-phenoxy)-benzamide,  
4-{4-[(2-Phenyl-propylamino)-methyl]-phenoxy}-benzamide,  
4-(4-{[2-(2-Chloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2,4-Dichloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(4-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2-Fluoro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2,5-Dimethoxy-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-(4-{[2-(2,6-Dichloro-phenyl)-ethylamino]-methyl}-phenoxy)-benzamide,  
4-{4-[(2-o-Tolyl-ethylamino)-methyl]-phenoxy}-benzamide,  
4-{4-[(2,2-Diphenyl-ethylamino)-methyl]-phenoxy}-benzamide,  
4-[4-(3-Phenyl-propylamino)-phenoxy]-benzamide,  
4-{4-[(2-Cyclopentyl-ethylamino)-methyl]-phenoxy}-benzamide,  
4-{4-[(2,6-Dichloro-benzylamino)-methyl]-phenoxy}-benzamide,  
4-(4-{[(Furan-2-ylmethyl)-amino]-methyl}-phenoxy)-benzamide,  
6-(4-{[2-(3,4-Dichloro-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-(4-{[2-(2-Ethoxy-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,  
6-{4-[(2-o-Tolyl-ethylamino)-methyl]-phenoxy}-nicotinamide,  
6-(4-{[2-(2-Phenoxy-phenyl)-ethylamino]-methyl}-phenoxy)-nicotinamide,

6-[4-((2-Thiophenyl-ethylamino)-methyl)-2-ethoxy phenoxy] nicotinamide,  
6-[4-((3-Methyl-butylamino)-methyl)-2-ethoxy phenoxy] nicotinamide  
methanesulfonate salt,  
6-[4-((3-Dimethyl-butylamino)-methyl)-2-ethoxy phenoxy] nicotinamide,  
6-[4-(Butylamino-methyl)-2-ethoxy phenoxy] nicotinamide,  
6-[4-((2-Phenyl-ethylamino)-methyl)-2,5-dimethyl phenoxy] nicotinamide,  
6-[4-((2-Cyclopentyl-ethylamino)-methyl)-2-ethoxy phenoxy] nicotinamide  
metanosulfonate salt,  
6-[4-((3-Methyl-butylamino)-methyl)-2,5-dimethyl phenoxy] nicotinamide  
6-(4-Iodo-phenoxy)-nicotinamide,  
(±)-6-(4-Piperidin-3-yl-phenoxy)-nicotinamide,  
(±)-6-[4-(1-Benzyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-Cyclohexylmethyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-Methyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-(3-Fluoro-benzyl)-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-(2-Fluoro-benzyl)-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-[4-(1-Hexyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-{4-[1-(3-Methyl-butyl)-piperidin-3-yl]-phenoxy}-nicotinamide,  
(±)-6-[4-(1-Phenethyl-piperidin-3-yl)-phenoxy]-nicotinamide,  
(±)-6-{4-[1-(2-Cyclohexyl-ethyl)-piperidin-3-yl]-phenoxy}-nicotinamide,  
6-[4-(4-Benzyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Phenethyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Cyclopentyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-{4-[4-(1-Phenyl-ethyl)-piperazin-1-ylmethyl]-phenoxy}-nicotinamide,  
6-[4-(4-Benzhydryl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-{4-[4-(4-Fluoro-phenyl)-piperazin-1-ylmethyl]-phenoxy}-nicotinamide,  
6-[4-(4-Phenyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Cyclohexyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Isopropyl-piperazin-1-ylmethyl)-phenoxy]-nicotinamide,  
(3R)-6-{4-[(1-Benzyl-pyrrolidin-3-ylamino)-methyl]-phenoxy}-nicotinamide,

(3S)-6-{4-[(1-Benzyl-pyrrolidin-3-ylamino)-methyl]-phenoxy}-nicotinamide,  
(±)-6-[4-(2-Phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(2-Phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide, hydrochloric acid salt,  
(±)-6-[4-(3-Phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4-Phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(3-Phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(4-Phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(4,4-Diphenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(3,3-Diphenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-[4-(2,2-Diphenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,  
6-(4-Piperidin-1-ylmethyl-phenoxy)-nicotinamide,  
(±)-6-[4-(1,2,4,4a,9,9a-Hexahydro-3-aza-fluoren-3-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-{4-[3-(2-Chloro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide,  
(±)-6-{4-[3-(3-Chloro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide,  
(±)-6-{4-[3-(3-Trifluoromethyl-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide,  
(±)-6-[4-(3-Methyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(3-Phenethyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(3-Phenpropyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(3-Benzyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-[4-(3-Phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,  
(±)-6-{4-[3-(4-Fluoro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide, hydrochloric acid salt,  
(±)-6-{4-[3-(2-Fluoro-phenyl)-piperidin-1-ylmethyl]-phenoxy}-nicotinamide, hydrochloric acid salt,  
(±)-6-[4-(3-Cyclohexyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide, hydrochloric acid salt,  
(±)-6-[2-Methyl-4-(3-phenyl-piperidin-1-ylmethyl)-phenoxy]-nicotinamide,

hydrochloric acid salt,

(±)-6-[2-Methyl-4-(3-phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,

hydrochloric acid salt,

(±)-6-[2-Methyl-4-(4-phenyl-azepan-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-1-{6-[2-Methyl-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-pyridin-3-yl}-ethanone,

(±)-5-(1,1-Difluoro-ethyl)-2-[2-methyl-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-pyridine hydrochloric acid salt,

(±)-6-[2-Fluoro-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[2-Ethoxy-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,

(±)-6-[2-Chloro-4-(3-phenyl-pyrrolidin-1-ylmethyl)-phenoxy]-nicotinamide,

6-(3-Phenethyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-yloxy)nicotinamide,

6-(3-Benzyl-2,3,4,5-tetrahydro-1H-benzo[d]azepin-7-yloxy)-nicotinamide,

6-[4-(Phenethylaminomethyl)phenoxy]nicotinamidine,

{2-[4-(5-Aminomethylpyridin-2-yloxy)phenyl]ethyl}benzylamine,

5-[4-(Phenethylaminomethyl)phenoxy]pyridine-2-carboxamide,

2-[4-(2-Benzylaminoethyl)phenoxy]nicotinamide,

6-[4-(2-Benzylaminoethyl)phenoxy]pyridine-2-carboxamide,

2-[4-(2-Benzylaminoethyl)phenoxy]isonicotinamide,

N-Methyl-{6-[4-(phenethylaminomethyl)phenoxy]nicotinamidine,

5-[4-(Phenethylaminomethyl)phenoxy]pyrazine-2-carboxamide,

5-(4-{2-(4-Fluorophenyl)ethylamino}methyl}phenoxy)pyridine-2-carboxamide,

5-{4-[(3-Methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide

methanesulfonate,

5-{2-Methyl-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide

methanesulfonate,

5-{2-Methoxy-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide

methanesulfonate,

5-(4-{2-(3-Trifluoromethylphenyl)ethylamino}methyl}phenoxy)pyridine-2-

carboxamide methanesulfonate,

5-{4-[(2-Thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-{2-Methyl-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-  
carboxamide methanesulfonate,  
5-{2-Methoxy-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-  
carboxamide methanesulfonate,  
5-{4-[(2-Cyclopentylethylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-{4-[(2-Cyclopentylethylamino)methyl]-2-methylphenoxy}pyridine-2-  
carboxamide methanesulfonate,  
5-{4-[(2-Cyclopentylethylamino)methyl]-2-methoxyphenoxy}pyridine-2-  
carboxamide methanesulfonate,  
5-(4-{[(Benzo[b]thiophen-3-ylmethyl)amino]methyl}phenoxy)pyridine-2-  
carboxamide methanesulfonate,  
5-(4-{[2-(4-Methoxyphenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide  
methanesulfonate,  
5-(4-{[2-(3-Fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide  
methanesulfonate,  
5-(4-{[2-(2-Fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide  
methanesulfonate,  
5-{2-Fluoro-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide  
methanesulfonate,  
5-{2-Methyl-4-[(3-methylbutylamino)methyl]phenoxy}pyrazine-2-carboxamide  
methanesulfonate,  
5-(2-Fluoro-4-pentylaminomethylphenoxy)pyridine-2-carboxamide  
5-{2-Fluoro-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy} pyridine-2-  
carboxamide,  
5-{2-Fluoro-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy} pyridine-2-  
carboxamide,  
5-{2-Fluoro-4-[(2-*m*-tolylethylamino)methyl]phenoxy}pyridine-2-carboxamide,

5-(2-Fluoro-4-{[2-(4-fluorophenyl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide,  
5-{2-Chloro-4-[(3-methylbutylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-(2-Chloro-4-(pentylaminomethyl)phenoxy)pyridine-2-carboxamide,  
5-{2-Chloro-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{2-Chloro-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
6-{2-Methoxy-4-[(3-methylbutylamino)methyl]phenoxy}nicotinamide,  
5-(2-Fluoro-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)pyridine-2-carboxamide,  
5-{2-Fluoro-4-[(2-*o*-tolylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{4-[(2-Naphthalen-2-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{4-[(2-Naphthalen-1-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
5-{4-[(2-Benzo[*b*]thiophen-3-ylethylamino)methyl]phenoxy}pyridine-2-carboxamide,  
6-(2-Methoxy-4-pentylaminomethylphenoxy)nicotinamide,  
6-{2-Methoxy-4-[(2-thiophen-2-ylethylamino)methyl]phenoxy}nicotinamide,  
6-{2-Methoxy-4-[(2-*o*-tolylethylamino)methyl]phenoxy}nicotinamide,  
6-{2-Methoxy-4-[(2-*m*-tolylethylamino)methyl]phenoxy}nicotinamide,  
6-{4-[(3,3-Dimethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide,  
6-{2-Methoxy-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}nicotinamide,  
6-(4-Butylaminomethyl-2-methoxyphenoxy)nicotinamide,  
6-(2-Methoxy-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)nicotinamide,  
6-{2-Methoxy-4-[(2-morpholin-4-ylethylamino)methyl]phenoxy}nicotinamide,  
6-{4-[(2-Ethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide,  
6-(4-{[2-(4-Fluorophenyl)ethylamino]methyl}-2-methoxyphenoxy)nicotinamide,  
6-(4-{[2-(2-Fluorophenyl)ethylamino]methyl}-2-methoxyphenoxy)nicotinamide,  
6-(4-Hexylaminomethyl-2-methoxyphenoxy)nicotinamide,



6-{2-Methoxy-4-[(4-methylpentylamino)methyl]phenoxy}nicotinamide  
methanesulfonate,  
6-{2-Methoxy-4-[(2-*p*-tolylethylamino)methyl]phenoxy}nicotinamide  
methanesulfonate,  
5-(2-Methyl-4-{[2-(tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)pyrazine-2-  
carboxamide,  
5-{4-[(3,3-Dimethylbutylamino)methyl]-2-methylphenoxy}pyrazine-2-  
carboxamide,  
5-{4-[(3-Methylbutylamino)methyl]phenoxy}pyrazine-2-carboxamide,  
5-(4-{[2-(Tetrahydropyran-4-yl)ethylamino]methyl}phenoxy)pyrazine-2-  
carboxamide,  
5-{4-[(3,3-Dimethylbutylamino)methyl]phenoxy}pyrazine-2-carboxamide,  
6-(2-Methoxy-4-{[2-(tetrahydropyran-4-  
yl)ethylamino]methyl}phenoxy)nicotinamide methanesulfonate,  
6-(4-Hexylaminomethyl-2-methoxyphenoxy)nicotinamide methanesulfonate,  
6-(2-Methoxy-4-pentylaminomethylphenoxy)nicotinamide methanesulfonate,  
6-(4-Butylaminomethyl-2-methoxyphenoxy)nicotinamide methanesulfonate,  
6-{2-Methoxy-4-[(2-pyridin-3-ylethylamino)methyl]phenoxy}nicotinamide  
methanesulfonate,  
6-{4-[(2-Ethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide  
methanesulfonate,  
6-{4-[(3,3-Dimethylbutylamino)methyl]-2-methoxyphenoxy}nicotinamide  
methanesulfonate,  
6-{2-Methoxy-4-[(3-methylbutylamino)methyl]phenoxy}nicotinamide  
methanesulfonate,  
6-(2-Phenethyl-2,3,4,5-tetrahydro-1*H*-benzo[*c*]azepin-7-yloxy)nicotinamide,  
6-[2-(3-Methylbutyl)-2,3,4,5-tetrahydro-1*H*-benzo[*c*]azepin-7-yloxy]nicotinamide,  
6-[2-(3-Methylpentyl)-2,3,4,5-tetrahydro-1*H*-benzo[*c*]azepin-7-  
yloxy]nicotinamide,  
(±)-6-{4-[2-(2-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-(cis)-6-{4-[2-(3-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,

(±)-(trans)-6-{4-[2-(3-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-6-{4-[2-((trans)-4-Hydroxycyclohexylamino)ethyl]phenoxy}nicotinamide,  
(±)-6-{4-[2-((trans)-2-Hydroxycyclopentylamino)ethyl]phenoxy}nicotinamide,  
4-[5-(Phenethylamino-methyl)-pyridin-2-yloxy]-benzamide dihydrochloride  
4-{5-[(3-Trifluoromethyl-benzylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-{5-[(3-Phenyl-propylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-{5-[(4-Fluoro-benzylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-[5-(Isobutylamino-methyl)-pyridin-2-yloxy]-benzamide  
4-{5-[(2-Thiophen-2-yl-ethylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-(5-{[2-(3-Fluoro-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide  
4-(5-{[2-(2-Methoxy-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide  
4-(5-{[2-(2-Chloro-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-benzamide  
4-[5-(3-Phenyl-pyrrolidin-1-ylmethyl)-pyridin-2-yloxy]-benzamide  
4-{5-[(3,3-Dimethyl-butylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-{5-[(3-Methyl-butylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-{3-Chloro-5-[(2-thiophen-2-yl-ethylamino)-methyl]-pyridin-2-yloxy}-benzamide  
4-(3-Chloro-5-{[2-(3-chloro-phenyl)-ethylamino]-methyl}-pyridin-2-yloxy)-  
benzamide  
and pharmaceutically acceptable salts, solvates, enantiomers, and mixtures of  
diastereomers thereof.